



LUBRICANTS



Product Data Sheet

Transcrest® Synthetic Multi-Vehicle ATF

Premium Synthetic, Low Viscosity Automatic Transmission Fluid

Synthetic, low viscosity automatic transmission fluid formulated to deliver the highest performance in most modern, fuel efficient automatic transmissions. It is designed to meet the frictional and wear requirements of most domestic and foreign OEM vehicle manufacturers regardless of age.

Features and Benefits

- Full synthetic, low viscosity formulation
- Superior anti-wear protection and highly shear stable synthetic components
- Excellent sludge and varnish resistance promote clean trouble-free performance
- Improved friction properties provide smooth shifting throughout service life of transmission

Applications

- DEXRON® VI
- MERCON® LV, MERCON® SP
- Toyota WS
- Honda Z-1, Honda DW-1, Nissan Matic J, Matic S and Hyundai SP-IV
- Anywhere DEXRON-II and DEXRON-III fluids in older GM automatic transmissions are specified

Typical Properties

| Product Code | Test Method | 330022 |
|----------------------------------|-------------|--------|
| Kinematic Viscosity, cSt @ 40°C | ASTM D-445 | 30.6 |
| Kinematic Viscosity, cSt @ 100°C | ASTM D-445 | 5.8 |
| Viscosity Index (calculated) | ASTM D-2270 | 135 |
| Brookfield Viscosity, cP @ -40°C | ASTM D-2893 | 9,500 |
| Pour Point, °F | ASTM D-97 | -54 |
| Color, Visual | | Red |

Note: Typical values shown are representative of current production and may vary within modest range.



1-800-566-4853



East Greenbush, NY



www.nu-tierbrands.com



Suitable for Use Applications:

| | | |
|--|---|---|
| Acura ATF-Z1 | Honda ATF-Z1 (except in CVTs) | Porsche 000 043 205 09 |
| Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1 | Honda DW-1 | Porsche 000 043 205 28 |
| Allison C-3 & C-4 | Honda Type 3.0 / 3.1 | Porsche 999 917 547 00 (A2) |
| American Motors ATF +3 (MS7176-E) | Hyundai/Kia 040000C90SG | Porsche ATF 3403-M115, |
| ATF RED 1, RED 1K | Hyundai/Kia Dex-II | Porsche T-IV (JWS 3309) |
| Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A) | Hyundai/Kia SP-II | Porsche Z 000169756 |
| Audi/VW 052 055 | Hyundai/Kia JWS 3314 | Porsche ZF 5HP19FL, ZF 5HP20, LT71141 |
| Audi/VW G 052 025-A2 | Hyundai/Kia NUMM040 CH20 Red-1 | Porsche ZF 5HP20 |
| Audi/VW G 052 162 (ZF Lifeguardfluid 5) (ZF No. S671 090 170) | Hyundai/Kia NWS 9638 | Porsche LT71141 |
| Audi/VW G 052 162-A1/A2 | Hyundai/Kia SPH-IV | Renault DPO/AL4 |
| Audi/VW G 052 990 | Hyundai/Kia SP-III | Renault Matic D2 |
| Audi/VW G 053 025-A2 | Hyundai/Kia SP-IV (00232-1904/04500-00115) | Renault Samsung SATF-D |
| Audi/VW G 055 025 A2 (JWS 3309) | Hyundai/Kia SP-IV M (SP4-M) | Saab 93 160 393 |
| Audi/VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus) (ZF No. S671 090 281) | Hyundai/Kia SP-IV-RR | Saab 93 165 147 |
| Audi/VW G 055 540 (A2) | Idemitsu K17 3100 PL085 | Saab T-IV (JWS 3309) |
| Audi/VW G 060 162 (ZF Lifeguardfluid 8) (ZF No. S671 090 312) | ISUZU 08200-9001 | Saturn T-IV (JWS 3309) |
| Bentley PY112995PA | ISUZU BESCO ATF SP | Scion (all vehicles) |
| BMW 7045E | ISUZU BESCO ATF-II | Shell 3403, M115, LA 2634 |
| BMW ETL 8072B | ISUZU BESCO ATF-III | Shell L 12108 |
| BMW JWS 3309 (T-IV) | ISUZU SCS Fluid | Ssang yong DSIH 5M-66 |
| BMW LA2634 | Jaguar 02JDE26444 | Subaru ATF |
| BMW LT71141 (ZF 5 HP 18FL/19FL/24A) | Jaguar ATF 3403 JLM20238, | Subaru ATF 5AT |
| BMW MINI | Jaguar ATF 3403 M115, ATF 3403-M115, | Subaru ATF, ATF HP |
| BMW ZF 5HP18FL, 5HP24, 5HP30 | Jaguar ATF LT71141, ZF 5HP24 | Subaru DEXRON®-II |
| Bosch TE-ML 09 | Jaguar Fluid 8432 | Subaru K0140V0700 |
| CAT TO-2 | Jaguar JLM 20292 | Suzuki AT OIL 5D06 |
| Chrysler ATF+, +2, +3 (MS 7176E) | Jaguar JLM20238 | Suzuki ATF 2326 |
| Chrysler/Dodge MOPAR AS 68 RC and AS 69 RC (T-IV), JWS 3309 | Jaguar K17 | Suzuki ATF 2384K |
| Chrysler/Dodge/Jeep 05127382AA | JASO M315-2013 1A | Suzuki ATF 3314 |
| Chrysler/Dodge/Jeep 68043742AA | JASO M315-2013 1A-LV | Suzuki ATF 3317 |
| Chrysler/Dodge/Jeep 68171866AA | JASO M315-2013 2A | Suzuki ATF AW-1 |
| Daewoo LT 71141 | JEEP ATF+3, +4 | Suzuki JWS 3309 |
| Daihatsu AMMIX ATF D-II | KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1 | Texaco 7045-E |
| Daihatsu AMMIX ATF D-III SP | Land Rover LR023288 | Texaco 8072B |
| Esso LT 71141 | Lexus JWS 3309 | Texaco N402 |
| FIAT T-IV type, JWS 3309 | MAN 339A | Toyota ATF D-II, ATF D-III |
| Ford ESP-M2C166H, XL-12 | MAZDA ATF 3317 | Toyota ATF T-III |
| Ford FNR5 (Mazda M5, XT-9-QMM5) | Mazda ATF D-II | Toyota ATF T-IV |
| Ford MERCON® | Mazda ATF F-1 | Toyota ATF WS |
| Ford MERCON® LV (FF-WSS-M2C-938A/SF, XT-10 QLV) | Mazda ATF FZ | Vickers M2950-S, I-286-S |
| Ford WSS M2C 138CJ, 166H | Mazda ATF M-III | Voith 55.6335.xx (G607) |
| Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309 | Mazda ATF M-V | Voith Svc Btn #013 and #118 |
| Ford/Lincoln/Mercury XT-2-QDX (M) | Mazda ATF N-1 | Volvo 97325, Volvo 97335 |
| Ford/Lincoln/Mercury XT-2-QSM (Syn) | Mazda ATF S-1 | Volvo CE 97340 |
| Fuso ATF-A4 | MB ZF 4HP20 | Volvo 97342 AT102 |
| Fuso ATF-II | MB 236.15, 236.17 | Volvo PN 1161521 |
| Fuso ATF-SPIII | MINI COOPER T-IV | Volvo PN 1161540/1161640 |
| GM 1940700 | Mitsubishi Diaqueen ATF PA | Volvo PN 1161621 |
| GM 1940767 | Mitsubishi Diaqueen AW | Volvo PN 31256774/31256675 |
| GM 21005966 | Mitsubishi Diaqueen J2, J3 | VW 5 HP (ZF 5 HP 30) |
| GM 22717466 | Mitsubishi Diaqueen SK | VW 5HP (18FL, 30) |
| GM 88900925 | Mitsubishi Diaqueen SP-II | VW 5HP (19FL, 24A) |
| GM 93160393 | Mitsubishi Diaqueen SP-III | VW G 052 162 (ZF Lifeguardfluid 5) |
| GM 9986195 | Mitsubishi Diaqueen SP-IV | VW G 055 162-A2, -A6 (ZF Lifeguardfluid 6 Plus) |
| GM DEXRON®-II | NAG 1 (Chrysler, Jeep, Cherokee) | VW G 060 162 (ZF Lifeguardfluid 8) |
| GM DEXRON®-IID | Nissan Matic Fluid C | VW G US 000 162 |
| GM DEXRON®-IIE | Nissan Matic Fluid D | VW G055 540 (A2) |
| GM DEXRON®-IIIG | Nissan Matic Fluid J | VW G-055-025 A2 (JWS 3309) |
| GM DEXRON®-IIIH | Nissan Matic Fluid K | VW TL 521 62 |
| GM DEXRON®-VI | Nissan Matic Fluid S | ZF 6 speed transmissions |
| GM TASA | Opel/GM 19 40 700 | ZF 8 speed transmissions |
| GM/GMC/Opel/Saturn 88863400 | Opel/GM 19 40 767 | ZF 9 speed transmissions |
| GM/GMC/Opel/Saturn 88863401 | Opel/GM 21005966 Transaxle | ZF 10 speed transmissions |
| GM/GMC/Opel/Saturn AW1 | Opel/GM 22 17466 | ZF all 3 & 4 speed transmission |
| GM/GMC/Opel/Saturn VI | Opel/GM 88900925 | ZF TE-ML 05L |
| GM9986195 (Aisin AW, JWS 3309) | Opel/GM 9986195 | ZF TE-ML 09 |
| Hino Blue ribbon ATF | Peugeot ZF 4HP20 | ZF TE-ML 11A, 11B, ZF TE-ML 21L |
| Honda ATF Ultra II | Peugeot/Citreon Z 000169756 | |



1-800-566-4853



East Greenbush, NY



www.nu-tierbrands.com



Note: Always consult vehicle owner's manual and/or dipstick for proper fluid type and recommended drain interval.

1. ****Transcrest®** Synthetic Multi-Vehicle ATF is well suited for use in transmissions that require DEXRON® VI, MERCON® LV, or MERCON® SP. This product is not officially licensed or approved by GM or Ford for such applications
2. *** Some of these specifications are for a high viscosity fluid. Transcrest® Synthetic Multi-Vehicle ATF can be used in these applications outside of warranty without causing harm to the transmission; however, the viscosity profile may not meet the specification requirements and may be subject to regulation in some states in the U.S. such as California.**
4. Not for use with Ford Type F applications or any DCT (Dual Clutch Transmission) or CVT (Continuously Variable Transmission).

Rev. 1/25



1-800-566-4853



Tulsa, OK 74133



www.nu-tierbrands.com

